

# Development and Application of Non-Woven Cotton Wound Dressing using *Justicia Tranquebariensis* Extraction

Dr. V. Kavitha<sup>1</sup> and Ms. M. Kavi Shree<sup>2</sup>

<sup>1</sup>Associate Professor and Head, Department of Costume Design and Fashion, Dr. N.G.P. Arts and Science College, Coimbatore, Tamil Nadu, India.

<sup>2</sup>Student, Department of Costume Design and Fashion, Dr. N.G.P. Arts and Science College, Coimbatore, Tamil Nadu, India.

## ABSTRACT

Wound dressing is crucial for preventing infections and minimising patient suffering. This study aimed to evaluate the antibacterial properties of *Justicia tranquebariensis* in wound healing. *Justicia tranquebariensis*, also known as water willow or water jasmine, has been used for its medicinal properties, including wound healing, anti-inflammatory effects, and antioxidants. Incised wounds, which can be classified as stab wounds or cut wounds, are caused by sharp-force trauma. The antibacterial activity of *Justicia tranquebariensis* encourages further research on its wound-healing properties. Cotton fabric is typically used for cleaning and dressing wounds for faster healing. Non-woven cotton wound dressings are also used in wound care due to their softness, absorbency, hypoallergenicity, conformability, biodegradability, and ease of application and removal. Cotton fibre and non-woven cotton fabric are utilized for wound dressing. For the dressing, *Justicia tranquebariensis* leaf extract is applied to cotton fibre, covered with non-woven cotton, and secured with adhesive tape. The extract was tested using the standard disc diffusion method against microbial species commonly found at wound sites, including *Staphylococcus aureus*, *Escherichia coli*, and *Candida albicans*. An anti-inflammatory test was also performed, which confirmed that the herb has anti-inflammatory properties.

**Key Words:** *Wound dressing, Justicia tranquebariensis, non-woven cotton, anti-inflammatory, wound healing*

## 1. Introduction

Wounds can be caused by a variety of factors such as accidents, medical treatments, chronic illnesses, and more<sup>[1-3]</sup>. Incised wounds are caused by sharp force trauma and can be classified as either stab or cut wounds. Stab wounds are longer than they are deep, while cut wounds are shorter than they are deep<sup>[7,8]</sup>. Wounds caused by heavy blades like axes and machetes can include both lacerations and incised wounds<sup>[8]</sup>.

Traditional medicines like herbs, used as a paste, are thus employed for wound healing<sup>[22]</sup>. *Justicia tranquebariensis*, also known as water willow or water jasmine, has been used in certain parts of the world for its possible medical benefits such as wound healing, anti-inflammatory effects<sup>[9,19]</sup>, antimicrobial properties<sup>[9,19]</sup>, antioxidants<sup>[9,19]</sup>, and more. Traditional wound management often involves the topical application of extracts from the leaves of *Justicia tranquebariensis*<sup>[17,18]</sup>. These extracts are believed to possess qualities that accelerate wound healing and reduce the risk of infection<sup>[9]</sup>.

Wound dressing is a crucial aspect of wound care and is a key intervention in treating injuries and medical conditions<sup>[20,23]</sup>. The basic goals of wound

dressing are to protect the wound from external contaminants, promote an ideal healing environment, and reduce the risk of complications like infection, scarring, and extended recovery<sup>[6]</sup>. Proper wound dressing is vital in promoting healing, preventing infection, and minimizing patient discomfort<sup>[21]</sup>. Wound healing takes time and may cause infection or allergies in some individuals due to the chemicals in some medicines<sup>[1]</sup>.

Non-woven cotton wound dressings are commonly used in wound treatment due to their excellent properties that enhance the healing process<sup>[23,24]</sup>. These bandages are made from cotton strands that are chemically or mechanically attached without weaving. They offer benefits such as softness, comfort, absorbency, hypoallergenic properties, conformability, biodegradability, versatility, and ease of application and removal<sup>[26]</sup>. The extract of *Justicia tranquebariensis* leaves is applied to non-woven cotton fabric and used as a wound dressing due to its wound-healing properties. The extract is subjected to anti-inflammatory and antimicrobial tests.

## 2. Materials and Methods

### 2.1. Selection of Herb

*Justicia Tranquebariensis* is a herb which has wound-healing properties<sup>[9-13]</sup>. Leaf juices were used as a cooling agent<sup>[17,18]</sup>, aperient, and for treating smallpox in children<sup>[15]</sup>. Crushed leaves were applied to contusions, and a paste made from *Justicia tranquebariensis* was applied externally to reduce pain<sup>[13,15]</sup>. The juice of leaves taken orally and leaf paste applied topically on the site of a snake bite act as an antidote for Cobra bite<sup>[16]</sup>.



Figure 1. *Justicia Tranquebariensis*

### 2.2. Collection and Extraction of Leaf

*Justicia Tranquebariensis* leaf was collected from the local area of Coimbatore. The selected leaves were extracted using ethanol as the solvent<sup>[13]</sup>. First, the leaves were water-washed thoroughly to remove the dirt<sup>[14]</sup>. The leaves were kept for shadow dry for 2 days. The dried leaves were then chopped up into smaller pieces<sup>[17]</sup>. The leaves were grained to a nearly powder-like consistency<sup>[13]</sup>. A fine strainer was used to remove large particles. In a conical flask with a thousand-millilitre capacity, 50 grams of powder were dissolved in half a liter of ethanol (1:10)<sup>[25]</sup> after being weighed. The process was done at 60°C in the shaker method for 24 hours. To stop the ethanol from evaporating, a rubber cork was used to snugly shut the flask's open end. The extracted liquor was filtered off by using filter paper<sup>[18]</sup>. Filtering was used to get rid of the tiny particles that were scattered in the solution.



Figure 2. Before 2 days of drying the leaf



Figure 3. After 2 days of drying the leaf



Figure 4. Fine powder of *Justicia Tranquebariensis* leaf



Figure 5. Ethanol extraction

## 2.3. Selection of Wound Dressing

### 2.3.1. Fiber

Cotton is a popular medical fibre due to its moisture control, insulation, comfort, and hypoallergenic properties. It is adaptable to steam, ethylene oxide, and gamma radiation sterilization methods. Cotton bandages, available in various varieties, have shown promising results in patient health management and maintenance<sup>[26]</sup>.

### 2.3.2. Cotton non-woven spunlace

Cotton Spunlace is a spunlace nonwoven fabric made by securely entangling cotton fibres with

water jets (water jet interlaced nonwoven fabric). This fabric is comprised of 100% cotton and was created by gluing fibres into a sheet using just hydraulic power and no binder, making it suitable for use in skin-care products.

The cotton fibre was kept in between the 2 layers of cotton nonwoven spunlace fabric and stitched together.



Figure 6. Cotton fibre



Figure 7. Cotton non-woven spunlace

## 2.4. Finishing: Extract Application

The non-woven cotton wound dressing was soaked in ethanol extract for 5 mins. Then the wound dressing was left to dry at room temperature for 1 day. After drying the wound dressing is sealed with adhesive tape and a butter sheet.



Figure 8. Non-woven cotton wound dressing drying



Figure 9. Non-woven cotton wound dressing with herbal extraction

## 2.5. Antimicrobial activity by agar diffusion method

Stock cultures were maintained at 4°C on nutrient agar and potato dextrose agar. In experiments, active cultures were prepared and incubated at 37°C for 24 hours. The Well Diffusion method was used to determine the antibacterial and antifungal activities of crude extract extracts. MHA plates were prepared and bacterial inoculums were swabbed uniformly. The agar diffusion method was used to measure the antibacterial activity against tested microorganisms.

## 2.6. Anti-Inflammatory Study of plant extract

The study evaluated protein denaturation inhibition using Mizushima and Kobayashi's 1968 method and Sakat et al.'s 2010 modified method. The experiment involved adding bovine serum albumin to the sample, heating at 51°C, and recording the absorbance at 660 nm.

$$\text{Percentage inhibition} = \frac{100 - (O.D. \text{ of test} - O.D. \text{ of product control})}{O.D. \text{ of Control}} \times 100$$

## 3. Result and Discussion

### 3.1. Antimicrobial activity of plant extract

The result finds extract having antimicrobial activity against the E.coli, S.aureus and Candida albicans. The result shows the given Herbal extract heaving Anti-microbial activity which is shown in Table 1.

### 3.2. Anti-Inflammatory Activity of plant extract

The given extract shows an Anti-inflammatory activity. The higher concentration of 50 ml of the shows 76% and standard Aspirin drug shows 88 % which is shown in Table 2.

Table 1: Results of Antimicrobial activity of plant extract of *J. tranquebariensis* leaves by agar diffusion method

S.No	Organisms	<i>E.Coli</i>	<i>S.aureus</i>	<i>Candida albicans</i>
1.	Plant extract	1.2 cm	1.4 cm	1.6 cm
2.	Standard (Bacteria-Chloramphenicol) Fugues- Fluconazole	1.5 cm	1.5 cm	1.5 cm



Plate.1. Candida albicans



Plate.2. S.aureus



Plate.3. E.coli



Table 2: Results of Anti-inflammatory activity of plant extract of *J. tranquebariensis* leaves

S.No	Concentration	% Inhibition of Standard (Aspirin)	% Inhibition Sample
1.	10 ml	33%	24 %
2.	20 ml	43%	38%
3.	30 ml	58%	49%
4.	40 ml	79%	60%
5.	50 ml	88%	76%




Figure 12: Graphical representation of anti-inflammatory activity of plant extract of *J. tranquebariensis* leaves

#### 4. Conclusion

The development of non-woven cotton wound dressings with herbal extraction applications is a promising innovation in wound care. These dressings, made from natural fibres like cotton, offer several benefits, including antimicrobial, anti-inflammatory, and tissue-regenerating properties, accelerated wound healing, and reduced infection risk. They are gentle on the skin, minimizing allergic reactions or irritation. The use of natural fibres like cotton is eco-friendly and biodegradable, making them a sustainable option compared to synthetic materials. The wide range of herbal extracts available allows for customization based on specific wound types and patient needs. Non-woven cotton provides a soft, breathable dressing that enhances patient comfort during the healing process. However, rigorous testing and validation are needed to ensure safety, efficacy, and consistency in wound management. Collaboration between medical professionals, researchers, and manufacturers is crucial for refining and advancing this technology. Future research and clinical studies are needed to establish the efficacy of these

dressings. This innovative approach could become an integral part of modern healthcare, offering patients a natural, effective, and sustainable solution for wound treatment.

#### 5. Reference

1. Bhuvanesh Gupta "Textile-based smart wound dressings" Indian Journal of Fibre & Textile Research, Vol. 35, June 2010, pp. 174-187
2. Selvaraj Dhivyaa,b, Viswanadha Vijaya Padmab, Elango Santhina, "Wound dressings – a review" BioMedicine (ISSN 2211-8039), December 2015, Volume 5, Issue 4
3. Vanessa Jones, Joseph E Grey, Keith G Harding "Wound Dressings" BMJ volume 332 1 April 2006
4. Erfan Rezvani Ghomi,1 Shahla Khalili,1 Saied Nouri Khorasani,1 Rasoul Esmaeely Neisiany, Seeram Ramakrishna "Wound dressings: Current advances and future

- directions” Journal of Applied Polymer Science, March 2019
5. Chenyu Shi<sup>1,2</sup> Chenyu Wang<sup>3</sup> He Liu<sup>2</sup> Qiuju Li<sup>2</sup> Ronghang Li<sup>2</sup> Yan Zhang<sup>2</sup> Yuzhe Liu<sup>2</sup> Ying Shao<sup>2,3\*</sup> Jincheng Wang<sup>1</sup> “Selection of Appropriate Wound Dressing for Various Wounds” Front. Bioeng. Biotechnol., 19 March 2020, vol 8
  6. Hien Minh Nguyen, corresponding authora Tam Thi Ngoc Le, An Thanh Nguyen, b Han Nguyen Thien Le, a and Thi Tan Pham corresponding author b “Biomedical materials for wound dressing: recent advances and applications” v.13(8); 2023 Feb 6
  7. Uwom Okereke Eze and Kehinde Abraham Ojifinnil “Trauma Forensics in Blunt and Sharp Force Injuries” Journal of The West African College of Surgeons, 2022 Nov 23
  8. Isabel Brouwer, Elsie Helena Burger “Medico-legal importance of the correct interpretation of traumatic skin injuries” February, 2010
  9. Pavithra T., Hari V., Lavanya P., ArunaKumari T., Rupesh Kumar M and Bhaskar Reddy K “Pharmacological Review on *Justicia Tranquebariensis* Linn” International Journal of Current Advanced Research, Volume 6; Issue 2; February 2017
  10. Jiju V.\*<sup>1</sup> and Dr. J. Saravanan “Investigation Of In-Vitro Anthelmintic Activity Of *Justicia Tranquebariensis*” World Journal of Pharmaceutical Research, Vol 4, Issue 06, 2015
  11. Gowri Sivasamy, Dhanyaa Senthil, Gopinath Ramachandran “Review On Characteristics Of *Justicia tranquebariensis*” International Journal of Creative Research Thoughts, Volume 9, Issue 3 March 2021
  12. B.Sarithal\* & P.Brindha “Review on Ethnopharmacognosy of *Justicia tranquebariensis* L. – A Traditional Siddha Drug.” International Journal of PharmTech Research, Vol.5, No.2, pp 467-474, April-June 2013
  13. T. Dons<sup>1</sup>, S. Soosai rajl and V. Alex Ramani<sup>2</sup> “Preliminary Phytochemical Studies on Some Ethnobotanically Important Medicinal Plants Used by Thottianaickans of Semmalai” American Journal of Ethnomedicine, 2015, Vol. 2, No. 3
  14. B.Saritha & P.Brindha “Microscopic standardization studies on *Justicia tranquebarensis* L.” Journal of Pharmacy Research 2011,4(9),2897-2899
  15. Asolkar L.V., Kakkar K.K., & Charke O.J., Second supplement to Glossary of Indian Medicinal Plants with Active principles ( A – K ), Part I, National Institute of Science communication New Delhi, 2000, 382. Sekhar J., Penchalapratap G., Sudarsanam
  16. G., & Prasad GP., Ethnic information on treatments for snakebites in Kadapa district of Andhra Pradesh, Life Sciences Leaflets,12, 2011,368 – 375.
  17. T. Dons\* and S. Soosairaj “Evaluation of wound healing effect of herbal lotion in albino rats and its antibacterial activities” Clinical Phytoscience, 2018
  18. Thiravia Doss Dons, Sebastian Soosai Raj “Spectral And Antibacterial Studies On Some Ethnobotanically Important Medicinal Plants Used By Thottianaickans Of Semmalai” Indo American Journal of Pharmaceutical Research, 2015 ISSN NO: 2231-6876
  19. R. Krishnamoorthi and V. Ratha Bai “Phytochemical Analysis And Antioxidant Property Of *Justicia Tranquebariensis*” International Journal of Pharmacognosy, IJP (2015), Vol. 2, Issue 5
  20. Errol J. Britto; Trevor A. Nezwek; Patrycja Popowicz; Marc Robins “Wound Dressings” National library of medicine, May18, 2023
  21. Aditya Sood,<sup>1,\*</sup> Mark S. Granick,<sup>1</sup> and Nancy L. Tomaselli<sup>2</sup> “Wound Dressings and Comparative Effectiveness Data” Adv Wound Care (New Rochelle). 2014 Aug 1; 3(8): 511–529
  22. Tina Maver, Uroš Maver, Karin Stana Kleinschek, Dragica M. Smrke Samo Kreft “A review of herbal medicines in wound healing” International Journal of Dermatology, 24 March 2015
  23. Faheem Ahmad <sup>1</sup>, Bushra Mushtaq <sup>1</sup>, Faaz Ahmed Butt <sup>2</sup> , Muhammad Sohail

- Zafar 3,4,\* , Sheraz Ahmad 1, Ali Afzal 1, Yasir Nawab 1, Abher Rasheed 1 and Zeynep Ulker “Synthesis and Characterization of Nonwoven Cotton-Reinforced Cellulose Hydrogel for Wound Dressings” *Polymers* 2021, 13, 4098
24. P Yasotha<sup>1</sup>, K Sunmathi<sup>2</sup> “Development of poly herbal finished antibacterial wound dressing” *International Journal of Multidisciplinary Research and Development*, Volume 8, Issue 5, 2021, Page No. 27-30
25. Joyjit Ghosh<sup>1</sup>, Zulfikar Hasan, Amit Chakraborty<sup>1</sup> “Development of Antimicrobial and Wound Healing Properties on Cotton Medical Bandage by using the Extract of Eco-Friendly Herbs” *Journal of The Institution of Engineers (India) Series E*, January 2021
26. Soin N, Anand SC, Shah TH. “Energy harvesting and storage textiles”. In: Horrocks AR, Anand SC, editors. *Handbook of Technical Textiles, Volume 2: Technical Textile Applications*. Woodhead Publishing; 2016. p. 357-396.